

NORA[®] LIGHTING




TRACK LIGHTING
LED, LOW VOLTAGE, LINE VOLTAGE





TRACK

LED, LINE, LOW VOLTAGE



120V Track Lighting Systems can be utilized in a multitude of applications ranging from commercial to residential. Track heads can be placed anywhere along the system and each can be customized with LED, line voltage or low voltage luminaires.

Track system can be controlled with one or two circuits up to 2400W per circuit. LED track heads are available in spot, flood, wall wash, linear and indirect.

LED Track Heads



MAC LED TRACK HEAD, 800lm to 1250lm

SERIES	CCT / CRI	LUMENS / WATTAGE	FINISH	ADAPTER
NTE-870L MAC	927X 2700K / 90 CRI	10 800lm / 10W	B Black	(blank) H-Style
	930X 3000K / 90 CRI		S Silver	/J J-Style
	935X 3500K / 90 CRI		W White	/L L-Style
	940X 4000K / 90 CRI			
NTE-875L MAC XL	927X 2700K / 90 CRI	18 1250lm / 18W	B Black	(blank) H-Style
	930X 3000K / 90 CRI		S Silver	/J J-Style
	935X 3500K / 90 CRI		W White	/L L-Style
	940X 4000K / 90 CRI			
NTE-875L MAC XL	9CDX Comfort Dim (3000K-1800K)	15 1000lm / 15W	B Black W White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 800lm, 1000lm or 1250lm LED output
- 2700K, 3000K, 3500K, 4000K or Comfort Dim
- Field changeable optics included (Spot included and Flood installed)
- AC LED - no LED driver and small appearance
- ELV dimming
- H-Style, J-Style or L-Style Track Adapter
- ENERGY STAR certified



MAY LED TRACK HEAD, 850lm

SERIES	CCT / CRI	LUMENS / WATTAGE	FINISH	ADAPTER
NTE-860L MAY	927 2700K / 90 CRI	10 850lm / 10W	B Black	(blank) H-Style
	930 3000K / 90 CRI		W White	/J J-Style
	935 3500K / 90 CRI			/L L-Style
	940 4000K / 90 CRI			
	9CD Comfort Dim (2900K-1800K)			

FEATURES

- 850lm LED output (650lm for Comfort Dim)
- 2700K, 3000K, 3500K, 4000K or Comfort Dim
- 35° Narrow Flood
- AC LED - no LED driver and small appearance
- Triac or ELV dimming
- H-Style, J-Style or L-Style Track Adapter
- ENERGY STAR certified

DIPPER LED TRACK HEAD, 1000lm or 2300lm

LENGTH / LUMENS / WATTAGE	BEAM SPREAD	CCT / CRI	FINISH
NTE-880315 8" / 1000lm / 15W	Wall Wash	30 3000K / 90 CRI	B Black
NTE-880330 12" / 2300lm / 30W		35 3500K / 90 CRI	S Silver
		40 4000K / 90 CRI	W White

DIPPER LED MONOPOINT, 1000lm or 2300lm

LENGTH / LUMENS / WATTAGE	BEAM SPREAD	CCT / CRI	FINISH
NTEC-880315 8" / 1000lm / 15W	Wall Wash	30 3000K / 90 CRI	B Black
NTEC-880330 12" / 2300lm / 30W		35 3500K / 90 CRI	S Silver
		40 4000K / 90 CRI	W White

FEATURES

- 8" or 12" Lengths
- 1000lm or 2300lm LED output
- 3000K, 3500K or 4000K @ 90 CRI
- Adjustable up to 135°
- Wall Wash distribution for indirect lighting
- Round monpoint canopy available (NT-380)
- Triac or ELV dimming





LED Track Heads

MAX LED TRACK HEAD, 2450lm or 3650lm

LUMENS / WATTAGE	CCT / CRI	BEAM SPREAD	FINISH	ADAPTER
NTE-864 1000lm / 13W	927 2700K / 90 CRI	S Spot	B Black	(blank) H-Style
NTE-865 2450lm / 25W	930 3000K / 90 CRI	M Narrow Flood	W White	/J J-Style
NTE-866 3650lm / 38W	935 3500K / 90 CRI (NTE-864 only) 940 4000K / 90 CRI	F Flood		/L L-Style

FEATURES

- 1000lm to 3650lm LED output
- 2700K, 3000K or 4000K @ 90 CRI
- Spot, Narrow Flood or Flood
- COB LED technology with TIR optics
- Triac or ELV dimming
- ENERGY STAR & Title 24 compliant



JASON LED ROUND TRACK HEAD, 1400lm or 2800lm

LUMENS / WATTAGE	BEAM SPREAD	CCT / CRI	FINISH
NTE-85518 1400lm / 18W	S 24° Spot	930 3000K / 90 CRI	B Black
NTE-85533 2800lm / 38W	M 40° Narrow Flood F 60° Flood	935 3500K / 90 CRI 940 4000K / 90 CRI	S Silver (Special Order) W White

FEATURES

- 1400lm or 2800lm LED output
- 3000K, 3500K or 4000K @ 80 or 90 CRI
- 24° Spot, 40° Narrow Flood or 60° Flood
- Optional accessories available
- Triac or ELV dimming
- DLC Listed



JASON LED SQUARE TRACK HEAD, 1400lm or 2800lm

LUMENS / WATTAGE	BEAM SPREAD	CCT / CRI	FINISH
NTE-85433 2800lm / 38W	S 24° Spot M 40° Narrow Flood F 60° Flood	935 3500K / 90 CRI	W White

FEATURES

- 1400lm or 2800lm LED output
- 3000K, 3500K or 4000K @ 80 or 90 CRI
- 24° Spot, 40° Narrow Flood or 60° Flood
- Optional accessories available
- Triac or ELV dimming
- DLC Listed



JASON PS LED TRACK HEAD - SELECTABLE CCT, 1450lm

LUMENS / WATTAGE	BEAM SPREAD	CCT / CRI	FINISH
NTE-856L1 1450lm / 20W	S Spot M Narrow Flood F Flood	9334 Selectable CCT (3000K / 3500K / 4000K)	B Black W White

FEATURES

- 1450lm LED output
- Field Selectable Color Temperature
3000K / 3500K / 4000K @ 90 CRI
- Optional accessories available
- Triac or ELV dimming



LED Track Heads



800lm Aiden

AIDEN LED TRACK HEAD, 800lm

COLOR TEMPERATURE / CRI	BEAM SPREAD	LUMENS / WATTAGE	FINISH	ADAPTER
NTE-850L27 2700K / 80 CRI	X 25° Spot included 43° Flood installed	10A 800lm / 10W	B Black S Silver W White	(blank) H-Style
NTE-850L927 2700K / 90 CRI				J J-Style
NTE-850L30 3000K / 80 CRI				
NTE-850L930 3000K / 90 CRI				
NTE-850L40 4000K / 80 CRI				
NTE-850L940 4000K / 90 CRI				

FEATURES

- 800lm LED output
- 2700K, 3000K or 4000K @ 80 or 90 CRI
- Field changeable optics included (25° Spot and 43° Flood - installed)
- Includes heat sink cap for alternate appearance
- ELV dimming
- Round monopoint canopy available (NT-379)
- H-Style or J-Style Track Adapter



1150lm Aiden

AIDEN LED TRACK HEAD, 1400lm

COLOR TEMPERATURE / CRI	BEAM SPREAD	LUMENS / WATTAGE	FINISH	ADAPTER
NTE-845L930 3000K / 90 CRI	X 19° Spot included 40° Flood installed	15 1400lm / 15W	B Black S Silver W White	(blank) H-Style
NTE-845L940 4000K / 90 CRI				

FEATURES

- 1400lm LED output
- 3000K or 4000K @ 80 or 90 CRI
- Triac or ELV dimming
- Field changeable optics included (19° Spot and 40° Flood - installed)



2200lm Aiden

AIDEN LED TRACK HEAD, 2200lm

COLOR TEMPERATURE / CRI	BEAM SPREAD	LUMENS / WATTAGE	FINISH	ADAPTER
NTE-842L30 3000K / 80 CRI	S 18° Spot	35 2200lm / 35W	S Silver	(blank) H-Style
	F 38° Flood			
NTE-842L40 4000K / 80 CRI	S 18° Spot	35 2200lm / 35W	B Black	(blank) H-Style
	F 38° Flood			

FEATURES

- 2200lm LED output
- 3000K or 4000K @ 80 CRI
- 18° Spot or 38° Flood - must specify
- Optional barn door accessory
- Triac or ELV dimming



2' T-Line

4' T-Line

T-LINE LINEAR LED TRACK HEAD, 1600lm or 3200lm

LENGTH / LUMENS / WATTAGE	COLOR TEMPERATURE	FINISH	ADAPTER
NTE-LIN2 2' / 1600lm / 20W	TW Selectable CCT (3000K / 3500K / 4000K)	B Black S Silver W White	(blank) H-Style
NTE-LIN4 4' / 3200lm / 40W			

FEATURES

- 2' or 4' Lengths
- 1600lm or 3200lm LED output
- Field Selectable Color Temperature 3000K / 3500K / 4000K @ 90 CRI
- Optional lenses and visor accessories
- Standard lens provides symmetrical distribution
- ELV dimming
- ENERGY STAR certified



Track Head Accessories & Monopoints

MONOPOINT CANOPIES FOR TRACK HEADS

ITEM #	DESCRIPTION
NT-319B	Square Monopoint Canopy, Black finish
NT-319S	Square Monopoint Canopy, Silver finish
NT-319W	Square Monopoint Canopy, White finish
NT-366B	Round Monopoint Canopy, Black finish
NT-366S	Round Monopoint Canopy, Silver finish
NT-366W	Round Monopoint Canopy, White finish
NT-379B	Round Monopoint Canopy, Black finish
NT-379S	Round Monopoint Canopy, Silver finish
NT-379W	Round Monopoint Canopy, White finish
• Compatible with NTE-850 only	
NT-337B	Square Monopoint Canopy, Black finish
NT-337S	Square Monopoint Canopy, Silver finish
NT-337W	Square Monopoint Canopy, White finish
• Compatible Versa Track Heads only	
NT-380B	Round Monopoint Canopy, Black finish
NT-380S	Round Monopoint Canopy, Silver finish
NT-380W	Round Monopoint Canopy, White finish
• Compatible Track Heads: NTE-854, NTE-855, NTE-880, NTH-910, NTH-920, NTH-930	
NT-374B	4" Retrofit Monopoint Adapter, Black finish
NT-374W	4" Retrofit Monopoint Adapter, White finish
• 75W max.	



TRACK HEAD ACCESSORIES

ITEM #	DESCRIPTION
NT-333	Slope Adapter for H-Style Head to H-Track
NT-333/L	Slope Adapter for H-Style Head to L-Track
NT-334	Slope Adapter for J-Style Head to H-Track
NT-335	Slope Adapter for H-Style Head to J-Track
• Finish: Black, Silver or White	
NT-322/12	12" Track Head Extension with Connector
NT-322	18" Track Head Extension with Connector
NT-323	24" Track Head Extension with Connector
NT-324	36" Track Head Extension with Connector
NT-325	48" Track Head Extension with Connector
• Finish: Black, Silver or White	
• Adapter: H-Style, J-Style or L-Style	
NT-330B	18" Flexible Extension Rod, Black finish
NT-330W	18" Flexible Extension Rod, White finish
• Adapter: H-Style, J-Style or L-Style	
NTR-100B	Blue MR16 Silicone Ring
NTR-100W	White MR16 Silicone Ring
• Compatible Track Heads: NTH-618, NTH-619	
NTE-875HC	Honeycomb Louver for NTE-875
NTE-855HC	Honeycomb Louver for NTE-854, -855, -856
NTE-LIN2SASYLENS	2' Single Asymmetrical Lens
NTE-LIN2DASYLENS	2' Double Asymmetrical Lens
NTE-LIN2VISB	2' Visor, Black finish
NTE-LIN2VISS	2' Visor, Silver finish
NTE-LIN2VISW	2' Visor, White finish
• Compatible with NTE-LIN2TW only	
NTE-LIN4SASYLENS	4' Single Asymmetrical Lens
NTE-LIN4DASYLENS	4' Double Asymmetrical Lens
NTE-LIN4VISB	4' Visor, Black finish
NTE-LIN4VISS	4' Visor, Silver finish
NTE-LIN4VISW	4' Visor, White finish
• Compatible with NTE-LIN4TW only	
NTE-855SN	Black Snoot for NTE-854, NTE-855, NTE-856
NTE-855SNWW	Black Directional Shield for NTE-854, 855, 856
NTE-855CG	Clear Glass for NTE-854, NTE-855, NTE-856
NTE-855FG	Frosted Glass for NTE-854, NTE-855, NTE-856
NTE-855BD	Barndoor for NTE-855, NTE-856, NTE-865
NT-339CP	Barndoor for NTE-842
• Finish: Black, Silver or White	



Track Packs



MAC Track Pack



MAC LED TRACK PACK, 700lm or 1100lm

SERIES	CCT / CRI	FINISH
NTLE-870 MAC	927X 2700K / 90 CRI	B Black
	930X 3000K / 90 CRI	S Silver
	935X 3500K / 90 CRI	W White
	940X 4000K / 90 CRI	
NTLE-875 MAC XL	927X 2700K / 90 CRI	B Black
	930X 3000K / 90 CRI	S Silver
	935X 3500K / 90 CRI	W White
	940X 4000K / 90 CRI	

FEATURES

- 4' track and power feed included
- 700lm or 1100lm LED output
- 2700K, 3000K, 3500K or 4000K @ 90 CRI
- AC LED - no LED driver and small appearance
- Field changeable optics included (Spot included and Flood installed)
- ELV dimming
- ENERGY STAR certified

MAY Track Pack



MAY LED TRACK PACK, 800lm

SERIES	CCT / CRI	FINISH
NTLE-860 MAY	927 2700K / 90 CRI	B Black
	930 3000K / 90 CRI	W White
	935 3500K / 90 CRI	
	940 4000K / 90 CRI	

FEATURES

- 4' track and power feed included
- 800lm LED output
- 2700K, 3000K, 3500K or 4000K @ 90 CRI
- AC LED - no LED driver and small appearance
- Triac or ELV dimming
- ENERGY STAR certified

Aiden Track Pack



AIDEN LED TRACK PACKS, 800lm, 1400lm or 2200lm

SERIES	CCT / CRI	BEAM SPREAD	FINISH
NTLE-850 800lm	27 2700K / 80 CRI	(blank) 25° Spot included	B Black
	927 2700K / 90 CRI	43° Flood installed	S Silver
	30 3000K / 80 CRI		W White
	930 3000K / 90 CRI		
	40 4000K / 80 CRI		
	940 4000K / 90 CRI		
NTLE-845 1400lm	30 3000K / 80 CRI	(blank) 19° Spot included	B Black
	930 3000K / 90 CRI	40° Flood installed	S Silver
	940 4000K / 90 CRI		W White
NTLE-842 2200lm	30 3000K / 80 CRI	S 23° Spot	B Black
	930 3000K / 90 CRI	F 43° Flood	S Silver
	40 4000K / 80 CRI		W White
	940 4000K / 90 CRI		

FEATURES

- 4' track and power feed included
- 2700K, 3000K or 4000K @ 80 or 90 CRI
- Triac or ELV dimming



Track Packs

BR/PAR30 Step Cylinder Track Pack

SERIES	FINISH
NTL-150 (3) BR/PAR30 Step Cylinder Track Heads	B Black BZ Bronze W White

FEATURES

- 4' track and power feed included
- 75W BR/PAR30 LED or Incandescent max.
- Additional track and accessories can be added



Step Cylinder Track Pack

BR/PAR30 Flatback Cylinder Track Pack

SERIES	FINISH
NTL-151 (3) BR/PAR30 Flatback Cylinder Track Heads	B Black W White
NTL-151/2H (2) BR/PAR30 Flatback Cylinder Track Heads	

FEATURES

- 4' track and power feed included
- 75W BR/PAR30 LED or Incandescent max.
- Additional track and accessories can be added




Flatback Cylinder Track Pack

BR/PAR30 Roundback Cylinder Track Pack

SERIES	FINISH
NTL-156 (3) BR/PAR30 Roundback Cylinder Track Heads	(blank) White
NTL-156/2H (2) BR/PAR30 Roundback Cylinder Track Heads	
NTL-156/4H (4) BR/PAR30 Roundback Cylinder Track Heads	

FEATURES

- 4' track and power feed included
- 75W BR/PAR30 LED or Incandescent max.
- Additional track and accessories can be added



Roundback Cylinder Track Pack

BR/PAR30 Gimbal Ring Track Pack


SERIES	FINISH
NTL-158 (3) BR/PAR30 Gimbal Ring Track Heads	B Black BZ Bronze N Natural Metal S Silver W White
NTL-158/4H (4) BR/PAR30 Gimbal Ring Track Heads	

FEATURES

- 4' track and power feed included
- 75W BR/PAR30 LED or Incandescent max.
- Additional track and accessories can be added



Gimbal Ring Track Pack



Copernicus™

Copernicus™ Glass Disk MR16 GU10 Track Head

SERIES	FINISH	ADAPTER
NTH-616 Copernicus	S Silver	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Filters, monopoints, extensions available
- Custom stem lengths available from 12" to 48"



Italia™

Italia™ MR16 GU10 Track Head

SERIES	FINISH	ADAPTER
NTH-618 Italia	B Black S Silver	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Filters, monopoints, extensions available
- Custom stem lengths available from 12" to 48"



Metro™

Metro™ MR16 GU10 Track Head

SERIES	FINISH	ADAPTER
NTH-619 Italia	S Silver	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Custom stem lengths available from 12" to 48"



Stockholm™

Stockholm™ MR16 GU10 Track Head

SERIES	FINISH	ADAPTER
NTH-620 Stockholm	B Black S Silver W White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Filters, monopoints, extensions available
- Custom stem lengths available from 12" to 48"



MR16 GU10 Track Heads

MR16 GU10 Mini Cylinder

SERIES	FINISH	ADAPTER
NTH-683 MR16 GU10 Mini Cylinder	B Black	(blank) H-Style
	W White	/J J-Style
		/L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Custom stem lengths available from 12" to 48"
- Filters, monopoints, extensions available

MR16
Mini Cylinder



MR16 GU10 Roundback with Black Baffle Track Head

SERIES	FINISH	ADAPTER
NTH-694 MR16 GU10 Roundback	B Black	(blank) H-Style
	W White	/J J-Style
		/L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Custom stem lengths available from 12" to 48"
- Filters, monopoints, extensions available

MR16
Roundback



MR16 GU10 Telescope Track Head

SERIES	FINISH	ADAPTER
NTH-695 MR16 GU10 Telescope	B Black	(blank) H-Style
	W White	/J J-Style
		/L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Custom stem lengths available from 12" to 48"
- Filters, monopoints, extensions available

Telescope



MR16 GU10 Gimbal Track Head

SERIES	FINISH	ADAPTER
NTH-697 Gimbal	B Black	(blank) H-Style
	W White	/J J-Style
		/L L-Style

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Custom stem lengths available from 12" to 48"
- Filters, monopoints, extensions available

Gimbal



MR16 GU10 Architectural Cylinder Track Head

SERIES	FINISH	ADAPTER
NTH-910 Architectural Cylinder	B Black	(blank) H-Style
	S Silver	
	W White	

FEATURES

- 50W MR16 GU10 LED or Halogen max.
- Round monopoint canopy available (NT-380)

Architectural Cylinder



PAR Track Heads



*Architectural
Cylinder*

PAR Architectural Cylinder Track Heads

SERIES	FINISH	ADAPTER
NTH-920 PAR20 Architectural Cylinder	B Black	(blank) H-Style
NTH-930 PAR30 Architectural Cylinder	W White	

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- Round monopoint canopy available (NT-380)



*Flatback
Cylinder*

PAR Flatback Cylinder with Black Baffle Track Heads

SERIES	FINISH	ADAPTER
NTH-101 R/PAR20 Flatback Cylinder with Black Baffle	B/A Black	(blank) H-Style
	W/A White	/J J-Style /L L-Style
NTH-102 BR/PAR30 Flatback Cylinder with Black Baffle	B/A Black	(blank) H-Style
	W/A White	/J J-Style /L L-Style
NTH-113 BR40/PAR38 Flatback Cylinder with Black Baffle	B Black	(blank) H-Style
	W White	/J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 150W BR40/PAR38 LED or Incandescent max.



*Roundback
Cylinder*

PAR Roundback Cylinder with Black Baffle Track Head

SERIES	FINISH	ADAPTER
NTH-105 R/PAR20 Roundback Cylinder with Black Baffle	B Black	(blank) H-Style
	W White	/J J-Style /L L-Style
NTH-106 BR/PAR30 Roundback Cylinder with Black Baffle	B/A Black	(blank) H-Style
	BZ Bronze	/J J-Style
	W/A White	/L L-Style
NTH-131 BR40/PAR38 Roundback Cylinder with Black Baffle	B/A Black	(blank) H-Style
	W/A White	/J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 100W BR40/PAR38 LED or Incandescent max.



Shroud

PAR Shroud Track Head

SERIES	FINISH	ADAPTER
NTH-149 BR/PAR30 Shroud	B Black	(blank) H-Style
NTH-150 BR40/PAR38 Shroud	W White	/J J-Style /L L-Style

FEATURES

- 75W BR/PAR30 LED or Incandescent max.
- 250W BR40/PAR38 LED or Incandescent max.



PAR Track Heads

PAR Step Cylinder Track Heads

SERIES		FINISH	ADAPTER
NTH-103	R/PAR20 Step Cylinder with Black Baffle	B/A Black W/A White	(blank) H-Style /J J-Style /L L-Style
NTH-104	BR/PAR30 Step Cylinder with Black Baffle	B/A Black BZ Bronze W/A White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.

Step Cylinder



PAR Rear Loading Gimbal Ring Track Heads

SERIES		FINISH	ADAPTER
NTH-112	PAR20 Rear Loading Gimbal Ring	B/A Black BZ Bronze N Natural Metal W/A White	(blank) H-Style /J J-Style /L L-Style
NTH-107	PAR30 Rear Loading Gimbal Ring	B/A Black N Natural Metal W/A White	(blank) H-Style /J J-Style /L L-Style
NTH-108	PAR38 Rear Loading Gimbal Ring	B/A Black BZ Bronze W/A White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W PAR20 LED or Incandescent max.
- 150W PAR38 LED or Incandescent max.
- 75W PAR30 LED or Incandescent max.

Rear Loading Gimbal



PAR Front Loading Gimbal Ring Track Heads

SERIES		FINISH	ADAPTER
NTH-146	PAR20 Front Loading Gimbal Ring	B Black	(blank) H-Style /J J-Style /L L-Style
NTH-147	PAR30 Front Loading Gimbal Ring	B/A Black S/A Silver (Special Order) W White	(blank) H-Style /J J-Style /L L-Style
NTH-148	PAR38 Front Loading Gimbal Ring	B/A Black W/A White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W PAR20 LED or Incandescent max.
- 150W PAR38 LED or Incandescent max.
- 75W PAR30 LED or Incandescent max.

Front Loading Gimbal





*Low Profile
Universal*

Low Profile Universal Track Head

SERIES	FINISH	ADAPTER
NTH-115 Low Profile Universal	W White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 150W BR40/PAR38 LED or Incandescent max.



*Roundback
Universal*

Universal Track Heads

SERIES	FINISH	ADAPTER
NTH-139 Flatback Universal with Ribbed Knob	B Black W White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 100W BR40/PAR38 LED or Incandescent max.



*Adjustable Socket
Universal*

Adjustable Socket Universal Track Head

SERIES	FINISH	ADAPTER
NTH-109 Adjustable Socket Universal	B/A Black N Natural Metal W/A White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 250W BR40/PAR38 LED or Incandescent max.



*Truly
Universal*

Truly Universal Track Head

SERIES	FINISH	ADAPTER
NTH-138 Truly Universal	B Black W White	(blank) H-Style /J J-Style /L L-Style

FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 150W BR40/PAR38 LED or Incandescent max.



PAR Track Heads

PAR Cone Track Heads

SERIES	FINISH	ADAPTER
NTH-124 R/PAR20 Cone	B Black	(blank) H-Style
	W White	/J J-Style /L L-Style
NTH-125 BR/PAR30 Cone	B Black	(blank) H-Style
	BZ Bronze	/J J-Style
	W White	/L L-Style
NTH-126 BR40/PAR38 Cone	B Black	(blank) H-Style
	W White	/J J-Style /L L-Style

Cone



FEATURES

- 50W R/PAR20 LED or Incandescent max.
- 75W BR/PAR30 LED or Incandescent max.
- 150W BR40/PAR38 LED or Incandescent max.

PAR Belgium™ Track Head

SERIES	FINISH	ADAPTER
NTH-132 PAR30 Belgium™	B Black	(blank) H-Style
	S Silver	/J J-Style /L L-Style
NTH-133 PAR38 Belgium™	B Black	(blank) H-Style
	W White	/J J-Style /L L-Style

Belgium™



FEATURES

- 75W PAR30 LED or Incandescent max.
- 90W PAR38 LED or Incandescent max.

PAR38 High-Tech Wire Track Head

SERIES	FINISH	ADAPTER
NTH-178 PAR38 High-Tech Wire	W White	(blank) H-Style /J J-Style /L L-Style

High-Tech Wire




FEATURES

- 250W PAR38 LED or Incandescent max.

Track System & Components




ONE-CIRCUIT TRACK



ITEM #	DESCRIPTION
NT-301B	2' One-Circuit Track, Black finish
NT-301BZ	2' One-Circuit Track, Bronze finish
NT-301N	2' One-Circuit Track, Natural Metal finish
NT-301S	2' One-Circuit Track, Silver finish
NT-301W	2' One-Circuit Track, White finish
NT-302B	4' One-Circuit Track, Black finish
NT-302BZ	4' One-Circuit Track, Bronze finish
NT-302N	4' One-Circuit Track, Natural Metal finish
NT-302S	4' One-Circuit Track, Silver finish
NT-302W	4' One-Circuit Track, White finish
NT-303B	6' One-Circuit Track, Black finish
NT-303N	6' One-Circuit Track, Natural Metal finish
NT-303S	6' One-Circuit Track, Silver finish
NT-303W	6' One-Circuit Track, White finish
NT-304BA	8' One-Circuit Track, Black (92-3/8")
NT-304BZA	8' One-Circuit Track, Bronze (92-3/8")
NT-304N	8' One-Circuit Track, Natural Metal (96-1/4")
NT-304SA	8' One-Circuit Track, Silver finish (92-3/8")
NT-304WA	8' One-Circuit Track, White finish (92-3/8")
NT-331B	12' One-Circuit Track, Black finish
NT-331S	12' One-Circuit Track, Silver finish
NT-331W	12' One-Circuit Track, White finish

NT-331KB	12' One-Circuit Track Kit, Black finish
NT-331KS	12' One-Circuit Track Kit, Silver finish
NT-331KW	12' One-Circuit Track Kit, White finish
	• (2) 6' Track Section and (1) Straight Connector
	• 12' Track and freight savings

TWO-CIRCUIT TRACK



ITEM #	DESCRIPTION
NT-2301B	2' Two-Circuit Track, Black finish
NT-2301S	2' Two-Circuit Track, Silver finish
NT-2301W	2' Two-Circuit Track, White finish
NT-2302B	4' Two-Circuit Track, Black finish
NT-2302S	4' Two-Circuit Track, Silver finish
NT-2302W	4' Two-Circuit Track, White finish

NT-2303B	6' Two-Circuit Track, Black finish
NT-2303S	6' Two-Circuit Track, Silver finish
NT-2303W	6' Two-Circuit Track, White finish




NT-2331KB	12' Two-Circuit Track Kit, Black finish
NT-2331KS	12' Two-Circuit Track Kit, Silver finish
NT-2331KW	12' Two-Circuit Track Kit, White finish
	• (2) 6' Track Section and (1) Straight Connector
	• 12' Track and freight savings

RECESSED TRACK



ITEM #	DESCRIPTION
NTRT-4	4' Recessed Track Housing
NTRT-8	8' Recessed Track Housing
	• Finish: Black or White
	• Compatible 4' Track: NT-302; NT-2302
	• Compatible 8' Track: NT-304A; NT-2304A

NTRT-18	Dead Feed for Recessed Track Housing
	• Finish: Black or White
	• Compatible Fixtures: NT-318; NT-2318



TRACK FEEDS

ITEM #	DESCRIPTION
NT-348/A	One-Circuit End Feed Current Limiter
NT-2348/A	Two-Circuit End Feed Current Limiter
	• Amperage: 0.5A / 60W to 14A / 1680W (must specify)
	• Finish: Black, Silver or White

NT-358/A	One-Circuit In-Line Feed Current Limiter
NT-2358/A	Two-Circuit In-Line Feed Current Limiter
	• Amperage: 0.5A / 60W to 14A / 1680W (must specify)
	• Finish: Black or White

NT-311	One-Circuit Live End Feed with Canopy
NT-2311	Two-Circuit Live End Feed with Canopy
	• Finish: Black, Silver or White

NT-316	One-Circuit Live End Feed, Right Polarity
NT-316/L	One-Circuit Live End Feed, Left Polarity
NT-2316	Two-Circuit Live End Feed, Right Polarity
NT-2316/L	Two-Circuit Live End Feed, Left Polarity
	• Finish: Black, Bronze, Silver or White

NT-321	One Circuit Live End Feed w/Cord & Plug, Right Polarity
	• Finish: Black, Silver or White

NT-307	One-Circuit Floating Canopy Feed
NT-2307	Two-Circuit Floating Canopy Feed
	• Finish: Black, Silver or White

NT-352	One-Circuit Live End Feed with Canopy, Right Polarity
NT-2352	Two-Circuit Live End Feed with Canopy
	• Finish: Black, Bronze, Silver or White

NT-328	One-Circuit Live End Conduit Connector, Right Polarity
NT-328/L	One-Circuit Live End Conduit Connector, Left Polarity
NT-2328	Two-Circuit Live End Conduit Connector, Right Polarity
NT-2328/L	Two-Circuit Live End Conduit Connector, Left Polarity
	• Finish: Black, Silver or White

NT-348	One-Circuit T-Bar End Feed
NT-2348	Two-Circuit T-Bar End Feed
	• Finish: Black, Silver or White

RECESSED TRACK ACCESSORIES

ITEM #	DESCRIPTION
NTRT-16	End Feed for Recessed Track Housing
	• Finish: Black or White
	• Compatible Fixtures: NT-316; NT-2316

NTRT-10	Straight Connector for Recessed Track Housing
	• Finish: Black or White
	• Compatible Fixtures: NT-312; NT-2312

NTRT-13	L-Connector for Recessed Track Housing
	• Finish: Black or White
	• Compatible Fixtures: NT-313; NT-2313

NTRT-14	T-Connector for Recessed Track Housing
	• Finish: Black or White
	• Compatible Fixtures: NT-314; NT-2314

NTRT-15	X-Connector for Recessed Track Housing
	• Finish: Black or White
	• Compatible Fixtures: NT-315; NT-2315



Track System Components

TRACK CONNECTORS

ITEM #	DESCRIPTION
NT-310B	One-Circuit Straight Connector, Black
NT-310BZ	One-Circuit Straight Connector, Bronze
NT-310S	One-Circuit Straight Connector, Silver
NT-310W	One-Circuit Straight Connector, White
NT-2310B	Two-Circuit Straight Connector, Black
NT-2310S	Two-Circuit Straight Connector, Silver
NT-2310W	Two-Circuit Straight Connector, White




NT-312B	One-Circuit I-Connector, Black
NT-312S	One-Circuit I-Connector, Silver
NT-312W	One-Circuit I-Connector, White
NT-2312	Two-Circuit I-Connector, Black
NT-312S	Two-Circuit I-Connector, Silver
NT-312W	Two-Circuit I-Connector, White

• Includes L-Connector cover, can be converted in the field
• Can be used as power feed



NT-309B	One Circuit Flexible Connector, Black
NT-309S	One Circuit Flexible Connector, Silver
NT-309W	One Circuit Flexible Connector, White

• Can be used as power feed




NT-313B	One-Circuit L-Connector, Black
NT-313BZ	One-Circuit L-Connector, Bronze
NT-313S	One-Circuit L-Connector, Silver
NT-313W	One-Circuit L-Connector, White
NT-2313B	Two-Circuit L-Connector, Black
NT-2313S	Two-Circuit L-Connector, Silver
NT-2313W	Two-Circuit L-Connector, White

• Can be used as power feed




NT-314B	1-Circuit T-Connector, Black, Right Polarity
NT-314S	1-Circuit T-Connector, Silver, Right Polarity
NT-314W	1-Circuit T-Connector, White, Right Polarity
NT-314B/L	1-Circuit T-Connector, Black, Left Polarity
NT-314S/L	1-Circuit T-Connector, Silver, Left Polarity
NT-314W/L	1-Circuit T-Connector, White, Left Polarity
NT-2314B	2-Circuit T-Connector, Black, Right Polarity
NT-2314S	2-Circuit T-Connector, Silver, Right Polarity
NT-2314W	2-Circuit T-Connector, White, Right Polarity
NT-2314B/L	2-Circuit T-Connector, Black, Left Polarity
NT-2314S/L	2-Circuit T-Connector, Silver, Left Polarity
NT-2314W/L	2-Circuit T-Connector, White, Left Polarity

• Can be used as power feed



NT-315B	1-Circuit X-Connector, Black, Right Polarity
NT-315S	1-Circuit X-Connector, Silver, Right Polarity
NT-315W	1-Circuit X-Connector, White, Right Polarity
NT-315B/L	1-Circuit X-Connector, Black, Left Polarity
NT-315S/L	1-Circuit X-Connector, Silver, Left Polarity
NT-315W/L	1-Circuit X-Connector, White, Left Polarity
NT-2315B	2-Circuit X-Connector, Black, Right Polarity
NT-2315S	2-Circuit X-Connector, Silver, Right Polarity
NT-2315W	2-Circuit X-Connector, White, Right Polarity
NT-2315B/L	2-Circuit X-Connector, Black, Left Polarity
NT-2315S/L	2-Circuit X-Connector, Silver, Left Polarity
NT-2315W/L	2-Circuit X-Connector, White, Left Polarity

• Can be used as power feed



TRACK COMPONENTS

ITEM #	PRICE	DESCRIPTION
NT-318		One-Circuit Dead End Cap
NT-2318R		Two-Circuit Dead End Cap, Right Polarity
NT-2318L		Two-Circuit Dead End Cap, Left Polarity

• Finish: Black, Bronze, Silver or White



NT-320		Outlet Box Cover
---------------	--	------------------

• Finish: Black, Bronze, Silver or White



NT-308		Utility Hook (up to 30lbs.)
---------------	--	-----------------------------

• Finish: Black, Silver or White
• Adapter: H-Style, J-Style or L-Style



NT-327		Outlet Adapter
---------------	--	----------------

• Finish: Black, Silver or White
• Adapter: H-Style, J-Style or L-Style



NT-368		Track Pendant Adapter (2" extension)
---------------	--	--------------------------------------

• Finish: Black, Silver or White
• Adapter: H-Style, J-Style or L-Style



TRACK MOUNTING ACCESSORIES

ITEM #	DESCRIPTION
NT-305	18" Pendant Assembly Kit, White
NT-306	24" Pendant Assembly Kit, White
NT-336	36" Pendant Assembly Kit, White
NT-336	48" Pendant Assembly Kit, White

• Finish: Black, Silver or White



NRA-132/18	18" Replacement Stem
NRA-132/24	24" Replacement Stem
NRA-132/48	48" Replacement Stem
NRA-132/72	72" Replacement Stem
NRA-82	Stem Coupler

• Finish: Black, Silver or White



NT-326		Wire Way Cover
---------------	--	----------------

• Finish: Black, Silver or White



NT-349		Slope Pendant Adapter
---------------	--	-----------------------

• Finish: Black, Silver or White



NT-355/8		8' Aircraft Cable Suspension Kit
NT-355/20		20' Aircraft Cable Suspension Kit



NT-332		T-Bar Attachment Clip (15/16")
---------------	--	--------------------------------









NORA LIGHTING, INC.
6505 Gayhart St.
Commerce, CA 90040
TEL 323.767.2600
FAX 323.722.3677
www.NoraLighting.com

DOMESTIC FACILITIES:

Atlanta, GA
Cincinnati, OH
Dallas, TX
Detroit, MI
Edison, NJ
Los Angeles, CA
Louisville, KY
Minneapolis, MN
Nashville, TN

INTERNATIONAL SALES:

6505 Gayhart St.
Commerce, CA 90040
TEL 323.767.2600
FAX 323.722.3677

The products shown in this catalog
are covered by USA and International
patents. Specifications subject to
change without notice.

© Copyright 2023 Nora Lighting, Inc.
All rights reserved

